


DATA SHEET.

SCRUBBER DRYER.

RA 43|K 40



G. Staehle GmbH u. Co. KG
Mercedesstrasse 15
D 70372 Stuttgart
Telefon +49 (0) 7 11/95 44-950
Telefax +49 (0) 7 11/95 44-941
info@columbus-clean.com
www.columbus-clean.com

columbus


POWERFUL SUCTION MOTOR AND PATENTED MOUNTING SYSTEM OF THE SQUEEGEE TOOL: EXCEPTIONAL SUCTION RESULTS.

RA 43|K40

- The compact mains operated machine, for efficient cleaning performance on small- or medium-sized surfaces.
- Single-axle design for exceptional manoeuvrability in the smallest areas.
- The form of the tank as well as the removable squeegee mounting system provide for easy transport up and down stairs, the fold-away operating handle saves storage space.
- Easy to clean: the recovery tank with sleek inner walls can be opened completely for simple rinsing and disinfection according to HACCP standards.
- Compact and easy to use with minimal overall machine dimensions and removable squeegee tool.
- Extremely high brush pressure, the best in its class.
- Simple operation with just two functional switches.
- The innovative, patented mounting system of the arch-shaped squeegee tool adapts actively to the movements of the machine and will perfectly pick up without leaving any waste water even on turns.
- Filter-protected large opening to the solution tank allows for fast refilling.
- Available in two cleaning widths of 43 cm or 55 cm – for multiple cleaning tasks within the 40-l-class.
- DEKRA geprüft und zertifiziert.
- Und: made in Germany.



The patented mounting system of the squeegee tool



RA 43|K40

L x B x H	1000 x 465 x 815 mm
Working width	430 mm
Suction width	730 mm
Theoretical coverage max.	1720 m ² /h
Noise level	66 dB(A)
Empty weight	69 kg
Operating weight	110 kg

ELECTRICAL DATAN

Rated voltage	230 V
Power max.	1600 W
Mains cable	25 m

TANK

Solution tank capacity	40 l
Recovery tank capacity	40 l

SUCTION

Low pressure max.	204 mbar
Air flow max.	45 l/s

BRUSHES AND PAD HOLDERS

Number	1
Speed	150 rpm
Brush pressure	45 kg